

REMARKS

Reconsideration and allowance are respectfully requested in light of the above amendments and the following remarks.

The outstanding issues remaining are: (1) a 35 USC 112, second paragraph, rejection of claims 12, 13 and 28 and (2) a requirement to submit the following executed and dated documents: Assent of Assignee, Statement under 37 CFR 3.73(b), and Supplemental Reissue Declaration.

To overcome (1), claims 12 and 13 are hereby amended to provide correct antecedent basis for the noted terminology and to clarify the claimed subject matter.

For the convenience of the Office, marked up versions of the amended claims are attached as Exhibit I.

Support for the amended language in claims 12 and 13 is found in Fig. 5 and the discussion at original patent col. 9, line 8 et seq.


To overcome (2), signed and dated documents are attached.

In light of the foregoing, a Notice of Allowance is respectfully solicited.

If any issues remain which may best be resolved through a telephone communication, the Examiner is requested to telephone the undersigned at the local Washington, D.C. telephone number

listed below, in order to expedite consideration and allowance of this application.

Respectfully submitted,



Date: March 18, 2004

James E. Ledbetter
Registration No. 28,732

JEL/att
Attorney Docket No. JEL 29186C-RE
STEVENS DAVIS MILLER & MOSHER, L.L.P.
1615 L STREET, NW, Suite 850
P.O. Box 34387
WASHINGTON, DC 20043-4387
Telephone: (202) 408-5100
Facsimile: (202) 408-5200

Exhibit I- marked up version of the amended claims

12. (Currently Amended) A method of obtaining a motion-compensated image, said method comprising the steps of:

(a) obtaining a first motion vector MV1 between the motion-compensated-image and one reference image R1 of a plurality of reference images at a second set time interval T2 between the motion-compensated-image and said one reference image R1;

(b) calculating a second motion vector MV2 between the motion-compensated image and another reference image R2 of said plurality of reference images at a first set time interval T1 between the motion-compensated image and said another reference image R2, said second motion vector MV2 being parallel to said first motion vector MV1 and having a magnitude satisfying the relation $MV2 = MV1 \cdot (T1/T2)$;

(c) calculating first pixel values corresponding to said first motion vector MV1 from pixels of said one reference image R1 and calculating second pixel values corresponding to said second motion vector MV2 from pixels of said another reference image R2, wherein said reference images R1 and R2 are such that a motion vector MV3 between said reference images R1 and R2 has a mathematical relationship with said first and second motion vectors MV1 and MV2 in which said motion vector MV3 is parallel to and different in value from each of said first and second motion vectors MV1 and MV2; and

(d) calculating motion-compensated pixel values of said motion-compensated image from said first pixel values and said second pixel values ~~calculated in step (c)~~ to obtain said motion-compensated image.

13. (Currently Amended) A method of obtaining a motion-compensated image, said method comprising the steps of:

(a) obtaining a first motion vector MV1 between the motion-compensated-image and one reference image R1 of a plurality of reference images at a second set time interval T2 between the motion-compensated image and said one reference image R1;

(b) calculating a second motion vector MV2 between the motion-compensated image and another reference image R2 of said plurality of reference images at a first set time interval T1 between the motion-compensated image and said another reference image R2, said second motion vector MV2 being parallel to said first motion vector MV1 and having a magnitude satisfying the relation $MV2 = MV1 \cdot (T1/T2)$;

(c) calculating first pixel values corresponding to said first motion vector MV1 from pixels of said one reference image R1 and calculating second pixel values corresponding to said second motion vector MV2 from pixels of said another reference image R2, wherein said reference images R1 and R2 are previous to said motion-compensated image in a time sequence; and

(d) calculating motion-compensated pixel values of said motion-compensated image from said first pixel values and said second pixel

values ~~calculated in step (c)~~ to obtain said motion-compensated image.